




Access e sortidas art. 26



Distanza digl uaul art. 24



Altezia dil baghetg e dil culmar, art. 45




Altezia dil baghetg


$$\frac{A1+A2+A3+A4}{4} = AB$$

Tier scavaments con pli vegn mesirada cun A1*


PN = punct da nivo
AB = altezia dil baghetg
AC = altezia dil culmar



Construcziuns che vargan ora, art. 47



h = alzada da passadi sufficienta




L = lunghezza dil baghetg

a+b = max. 2/5 L

c = max. 2/5 L

Distanza dils baghetgs, art. 47




dc = distanza da cunfin

A dat a B il dretg da baghegiar pli damaneivel dil cunfin

Tier baghetg novs sto el silmeins risguardar la distanza da baghetg


Distanza da cunfin art. 47

Exempel zona V (ulteriurs baghetgs)




- A = distanza da cunfin gronda, min. 6 m
- B = distanza da cunfin pintga, min. 4 m

Distanza da cunfin per baghetgs annes ed accessoirs




- C = distanza da cunfin per baghetgs, annex ed accessoirs d'ina alzada, min. 2.50 m

Distanza da cunfin tier vias senza lingias da baghegiar, art. 49



Lingias da baghegiar e da nivo art. 71



Lingias da formaziun, per baghegiar art. 67

